


Click 'Configuration Templates' > 'Profiles' > click the name of a Windows profile > 'Add Profile Section' > 'Firewall' > 'Portsets'


- A port set is a collection of one or more ports that you can reference in a firewall rule.
- For example, you could create a group called 'Outgoing Mail Ports', which consists of port numbers 25, 465, 587, 2525 and 4065. You can then control traffic to all 5 ports by simply selecting the 'Mail Ports' group in a firewall rule.
- Portsets can be made up of individual port numbers or port ranges.
- This article explains how to configure a custom portset in Endpoint Manager.

## Manage Portsets

- Login to ITarian
- Click 'Applications' > 'Endpoint Manager'
- Click 'Configuration Templates' > 'Profiles'
- Open the Windows profile applied to your target devices
  - Open the 'Firewall' tab if it has already been added to the profile
- OR
- Click 'Add Profile Section' > 'Firewall' if it hasn't yet been added:
- Click the 'Portsets' tab:



- Endpoint Manager ships with three default portsets:
  - **HTTP Ports:** 80, 443 and 8080. These are the ports typically used for http traffic. Internet browsers uses these ports to connect to the internet.
  - **POP3/SMTP Ports:** 110, 25, 143, 995, 465 and 587. These ports are typically used to send/receive email. For example, by mail clients like Outlook and Thunderbird.
  - **Privileged Ports:** 0-1023. Privileged ports are so called because it is usually desirable to prevent users from running services on these ports. Network admins usually reserve or prohibit the use of these ports.
- Click 'Add' to create a custom portset



- **?Name** - Enter a label for the custom portset. Once saved, the portset name will become available for selection in the firewall rule interfaces.
- Click 'Add' to specify the ports you want to include in the set:

**Portset**

Name

My Portset

Add

PORTS

---

**Port**

Exclude (i.e. NOT the choice below)

Any

A single port

A port range  -

OK Cancel

- Select your ports then click 'OK'. Repeat the process to add more ports to the set.
  - **Any** - Include all port numbers (1 - 65535)
  - **A single port** – Enter the required port number in the box
  - **A port range** - Enter the start and end port numbers in the respective boxes
  - **Exclude** (i.e. NOT the choice below): Removes the port numbers you select from the port set.

You can use this to create exceptions within a port set. For example, say you wanted the set to address ports 1 – 200, but not port 50. First, click 'Add', specify a port-range of 1 – 200, then click 'OK'. Next, click 'Add' again, enable 'Exclude', specify port 50 , click 'OK'. Your set would look like this:

**Portset**

Name

Add

<input type="checkbox"/> <b>PORTS</b>	
<input type="checkbox"/> In [1 - 200]	
<input type="checkbox"/> Not 50	

- Click 'OK' in the 'Port' dialog. The ports will be added to the new portset in the 'Portset' interface.
- Click 'OK' in the 'Portset' dialog to add the set to the profile.

The portsets will be available for selection when you choose 'A set of ports' as source / destination port while creating or editing a firewall rule, to impose access restriction to the ports, on the devices applied with this profile.

- See [How to configure internet access rights for applications via Endpoint Manager](#) if you need details on constructing firewall rulesets for applications / file groups
- See [How to create a custom firewall rule set in a Windows profile](#) if you need details on creating firewall rules for a custom ruleset.
- See [How to add global rules to firewall in a Windows profile](#) for help to create global rules.
- Click the pencil icon beside a portset to edit its details.

### Further Reading:

[How to configure general firewall settings in a Windows profile](#)

[How to configure internet access rights for applications via Endpoint Manager](#)

[How to add global rules to firewall in a Windows profile](#)

[How to create a custom firewall rule set in a Windows profile](#)

[How to configure network zones in a Windows profile](#)